

Revision: 16.06.2016

Safety data sheet according to 1907/2006/EC, Article 31 Printing date 16.06.2016 Version number 1 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: BWT BW-PL 40 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Water treatment \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: BWT AG Walter Simmer Straße 4 A - 5310 Mondsee AUSTRIA Tel.: +43/6232/5011-0 Fax: +43/6232/4058 email: office@bwt.at · Further information obtainable from: Abteilung F&E - Chemikalienbeauftragter Tel.: +43/6232/5011-1427 email: msds-info@bwt-group.com · 1.4 Emergency telephone number: Vergiftungsinformation Wien Tel.: +43/1-406 43 43 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

GB



Printing date 16.06.2016

Version number 1

Revision: 16.06.2016

(Contd. of page 1)

2.5-10%

Trade name: BWT BW-PL 40

P405 P501 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

 \cdot 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7601-54-9 trisodium orthophosphate

EINECS: 231-509-8 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Call a doctor immediately.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

(Contd. on page 3)



Printing date 16.06.2016

Version number 1

Revision: 16.06.2016

(Contd. of page 2)

Trade name: BWT BW-PL 40

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: The product is not flammable.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 8B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:

Alkaline resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

PVC gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

⁽Contd. on page 4)



*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.06.2016

Version number 1

Revision: 16.06.2016

Trade name: BWT BW-PL 40

(Contd. of page 3) resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9.1 Information on basic physical a	and chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value at 20 °C:	12.5	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1000 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	95.0 %	



Version number 1

Revision: 16.06.2016

(Contd. of page 4)

Trade name: BWT BW-PL 40

• 9.2 Other information

Printing date 16.06.2016

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- Acids
- Oxidising agent

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-repeated exposure} Based on available data, the classification criteria are not met.$
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.



2

*

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 16.06.2016

Trade name: BWT BW-PL 40

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Printing date 16.06.2016

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

 \cdot European waste catalogue

16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
ADR, IMDG, IATA	UN3266
ADN	Void
14.2 UN proper shipping name	
ADR	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S
	(trisodium orthophosphate)
ADN	Void
IMDG, IATA	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S (trisodium orthophosphate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
ADN/R Class:	Void
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
14.7 Transport in bulk according to Anna	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3266, CORROSIVE LIQUID, BASIC, INORGANIC N.O.S. (trisodium orthophosphate), 8, III

(Contd. on page 7)



Printing date 16.06.2016

Version number 1

Revision: 16.06.2016

Trade name: BWT BW-PL 40

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods

 IMDG: International Maritime Code for Dangerous Goods

 IATA: International Air Transport Association

 GHS: Globally Harmonised System of Classification and Labelling of Chemicals

 EINECS: European Inventory of Existing Commercial Chemical Substances

 ELINCS: European List of Notified Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 PBT: Persistent, Bioaccumulative and Toxic

 vPvB: very Persistent and very Bioaccumulative

 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

 ** Data command to the provision and Labelling of 2

 \cdot * Data compared to the previous version altered.